

Intuitive Da Vinci X/Xi System Instrument and Accessory Catalog

December 2023



Table of contents

8 mm EndoWrist instruments

- 03 EndoWrist® monopolar cautery instruments
- 03 EndoWrist bipolar cautery instruments
- 04 EndoWrist clip appliers
- 04 EndoWrist needle drivers
- 05 EndoWrist graspers
- 05 EndoWrist scissors
- 06 Specialty instruments
- 06 Ultrasonic energy instrument
- 06 Suction irrigation
- 06 Vessel Sealer Extend
- 06 SynchroSeal®

Stapling components

- 07 SureForm™ stapler instruments
- 07 SureForm stapler reloads
- 07 EndoWrist stapler instruments
- 08 EndoWrist stapler reloads
- 08 EndoWrist stapler accessories
- 08 12 mm and stapler access system

Accessories

- 09 Da Vinci X® drapes
- 09 Da Vinci Xi® drapes
- 09 Hasson cone
- 09 Reusable accessories
- 10 8 mm cannulas, obturators, and seals
- 10 8 mm disposable instrument accessories

Vision equipment

- 11 8 mm endoscopes
- 11 Sterilization tray
- 11 Handheld camera and accessories

Energy accessories

- 12 Energy activation cables
- 12 Energy instrument cords

Da Vinci Xi upgrade options


- 12 Integrated table motion
- 13 Training equipment
- 14 Recommended spares and equipment

5 mm Single-Site instruments and accessories

- 16 Single-Site® instruments
- 17 Single-Site reusable accessories
- 17 Single-Site disposable accessories
- 18-19 Common carton dimensions and weights
- 20-21 Ordering and terms

8 mm instruments

EndoWrist monopolar cautery instruments



**Monopolar curved scissors
(Hot shears)**

| | |
|-------------|--------|
| Part number | 470179 |
|-------------|--------|

10 uses

| | |
|--------------------------------|--------|
| Shown with tip cover accessory | 400180 |
|--------------------------------|--------|



Permanent cautery hook

| | |
|-------------|--------|
| Part number | 470183 |
|-------------|--------|

10 uses



Permanent cautery spatula

| | |
|-------------|--------|
| Part number | 470184 |
|-------------|--------|

10 uses


EndoWrist bipolar cautery instruments



Maryland bipolar forceps

| | |
|-------------|--------|
| Part number | 471172 |
|-------------|--------|

14 uses



Fenestrated bipolar forceps

| | |
|-------------|--------|
| Part number | 471205 |
|-------------|--------|

14 lives



Curved bipolar dissector

| | |
|-------------|--------|
| Part number | 471344 |
|-------------|--------|

14 uses



Micro bipolar forceps

| | |
|-------------|--------|
| Part number | 471171 |
|-------------|--------|


14 uses



Long bipolar grasper

| | |
|-------------|--------|
| Part number | 471400 |
|-------------|--------|

14 uses



Force bipolar

| | |
|-------------|--------|
| Part number | 471405 |
|-------------|--------|

12 uses

8 mm instruments

EndoWrist clip appliers



Medium-large clip applier¹

Part number 470327

100 closures

Validated for use only with Weck Hem-o-lok medium-large polymer clip. Weck product code #544230

Shown with Weck Hem-o-lok medium-large polymer clip



Large clip applier²

Part number 470230

100 closures

Validated for use only with Weck Hem-o-lok large polymer clip. Weck product code #544240

Shown with Weck Hem-o-lok large polymer clip



Small clip applier³

Part number 470401

100 closures

Validated for use only with Weck Horizon small-wide titanium clip. Weck product code #001201 or #001205

Shown with Weck Horizon small-wide titanium clip

EndoWrist needle drivers



Large needle driver

Part number 471006

15 uses



Mega SutureCut™ needle driver

Part number 471309

15 uses



Mega™ needle driver

Part number 470194

10 uses



Large SutureCut needle driver

Part number 471296

15 uses

¹ Weck Hem-o-lok medium-large polymer clip (Weck product code #544230) is the only compatible clip used with this instrument. To order, contact Teleflex Medical (www.teleflex.com) or your local distributor.

² Weck Hem-o-lok large polymer clip (Weck product code #544240) is the only large compatible clip used with this instrument. To order, contact Teleflex Medical www.teleflex.com or your local distributor.

³ Weck Horizon small-wide titanium clip (Weck product code #001201 or #001205) is the only compatible clip used with this instrument. To order, contact TeleflexMedical www.teleflex.com or your local distributor.

8 mm instruments

EndoWrist graspers



ProGrasp[™] forceps

Part number | 471093

18 uses



Tenaculum forceps

Part number | 470207

10 uses



Long tip forceps

Part number | 471048

18 uses



Tip-Up fenestrated grasper

Part number | 470347

10 uses



**Small Graptor[™]
(grasping retractor)**

Part number | 470318

10 uses



Cadiere forceps

Part number | 471049

18 uses



Cobra grasper

Part number | 471190

18 uses

EndoWrist scissors



Potts scissors

Part number | 470001

10 uses



Round tip scissors

Part number | 470007

10 uses

8 mm instruments

Specialty instruments



Resano forceps

Part number | 470181

10 uses



Atrial retractor short right

Part number | 470246

10 uses



Dual blade retractor

Part number | 470249

10 uses



Black diamond micro forceps

Part number | 470033

15 uses



Cardiac probe grasper

Part number | 470215

10 uses



DeBakey forceps

Part number | 470036

10 uses

Ultrasonic energy instruments



Harmonic ACE curved shears

Part number | 480275

Box of 6/single use

Suction irrigation



EndoWrist suction irrigator*

Part number | 480299

Box of 6/single use

*This product requires software version P6_B443 or newer.

Vessel Sealer Extend




Vessel Sealer Extend

Part number | 480422

Box of 6/single use

SynchroSeal






SynchroSeal

Part number | 480440










Box of 6/single use

Da Vinci® stapling components



SureForm stapler instruments

| | Item code | Product description | Qty/box | Uses |
|---|-----------|-----------------------------------|---------|------------|
|  | 480460 | SureForm 60 instrument | 6 | Single use |
|  | 480445 | SureForm 45 instrument | 6 | Single use |
|  | 480545 | SureForm 45 curved-tip instrument | 6 | Single use |

SureForm stapler reloads





| | Item code | Product description | Qty/box | Uses |
|---|-----------|--------------------------------|-------------|----------|
|  | 48360W | Reload, SureForm 60, 2.5 white | 6-row 12 | 1 firing |
|  | 48360B | Reload, SureForm 60, 3.5 blue | 6-row 12 | 1 firing |
|  | 48360G | Reload, SureForm 60, 4.3 green | 6-row 12 | 1 firing |
|  | 48360T | Reload, SureForm 60, 4.6 black | 6-row 12 | 1 firing |
|  | 48345M | Reload, SureForm 45, 2.0 gray | 6-row 12 | 1 firing |
|  | 48345W | Reload, SureForm 45, 2.5 white | 6-row 12 | 1 firing |
|  | 48345B | Reload, SureForm 45, 3.5 blue | 6-row 12 | 1 firing |
|  | 48345G | Reload, SureForm 45, 4.3 green | 6-row 12 | 1 firing |
|  | 48345T | Reload, SureForm 45, 4.6 black | 6-row 12 | 1 firing |

EndoWrist stapler instruments



| | Item code | Product description | Qty/box | Uses |
|---|-----------|--|---------|------------|
|  | 470430 | EndoWrist stapler 30 instrument | 1 | 50 firings |
|  | 470530 | EndoWrist stapler 30 curved-tip instrument | 1 | 50 firings |

Da Vinci stapling components









EndoWrist stapler reloads

| | Item code | Product description | Qty/box | Uses |
|---|-----------|---------------------------------------|---------|----------|
|  | 48630M | Reload, EndoWrist 30, 2.0 gray 6-row | 12 | 1 firing |
|  | 48630W | Reload, EndoWrist 30, 2.5 white 6-row | 12 | 1 firing |
|  | 48630B | Reload, EndoWrist 30, 3.5 blue 6-row | 12 | 1 firing |
|  | 48630G | Reload, EndoWrist 30, 4.3 green 6-row | 12 | 1 firing |

EndoWrist stapler accessories

| | Item code | Product description | Qty/box | Uses |
|---|-----------|--------------------------------------|---------|-------------|
|  | 410370 | EndoWrist stapler sheath (box of 10) | 10 | 1 procedure |
|  | 381215 | EndoWrist stapler release kit | 1 | NA |

12 mm and stapler access system

| | Item code | Product description | Qty/box | Uses |
|---|-----------|---|---------|-------------|
|  | 470375 | 12 mm and stapler cannula (100 mm) | 1 | NA |
|  | 470376 | 12 mm and stapler blunt obturator | 1 | NA |
|  | 470389 | 12 mm and stapler cannula, long (150 mm) | 1 | NA |
|  | 470390 | 12 mm and stapler blunt obturator, long | 1 | NA |
|  | 470380 | 12 mm and stapler cannula seal (box of 10) | 10 | 1 procedure |
|  | 470381 | 12 - 8 mm reducer (box of 6) | 6 | 1 procedure |
|  | 470395 | 12 mm and stapler bladeless obturator | 1 | NA |
|  | 470396 | 12 mm and stapler bladeless obturator, long | 1 | NA |

Accessories



Da Vinci X drapes

| Item code | Product description | Qty/box |
|-----------|-----------------------------------|---------|
| 470015 | Arm drape (box of 20) | 20 |
| 470473 | Arm-4 extension drape (box of 20) | 20 |

Da Vinci Xi drapes

| Item code | Product description | Qty/box |
|-----------|--------------------------|---------|
| 470015 | Arm drape (box of 20) | 20 |
| 470341 | Column drape (box of 20) | 20 |

Hasson cone

| | Item code | Product description | Qty/box |
|--|-----------|---------------------|---------|
|  | 470398 | 8 mm Hasson cone | 1 |
|  | 470399 | 12 mm Hasson cone | 1 |

Reusable accessories








| Item code | Product description | Qty/box |
|-----------|------------------------------|---------|
| 381216* | Instrument release kit (IRK) | 1 |
| 470397 | Gage pin (box of 3) | 3 |
| 380989 | Blue fiber cable kit | 1 |
| 342562 | Instrument introducer | 1 |

*Documentation is listed in English only.

Note: For other languages contact customer service. Documentation may not be available in all languages.

Accessories

8 mm cannulas, obturators, and seals



| | Item code | Product description | Qty/box |
|---|-----------|---|---------|
|  | 470361 | 5 mm - 8 mm cannula seal (box of 10) | 10 |
|  | 470002 | 8 mm cannula | 1 |
|  | 470004 | 8 mm cannula, long | 1 |
|  | 470008 | 8 mm blunt obturator | 1 |
|  | 470009 | 8 mm blunt obturator, long | 1 |
|  | 470359 | 8 mm bladeless obturator (optical) (box of 6) | 6 |
|  | 470360 | 8 mm bladeless obturator, long (optical) (box of 6) | 6 |

8 mm disposable instrument accessories


| | Item code | Product description | Qty/box |
|---|-----------|---------------------------------|---------|
|  | 400180 | Tip cover accessory (box of 10) | 10 |

Vision equipment





8 mm endoscopes

| | Item code | Product description |
|---|-----------|--------------------------|
|  | 470056 | 8 mm endoscope plus, 0° |
|  | 470057 | 8 mm endoscope plus, 30° |

Sterilization tray



| | Item code | Product description |
|---|-----------|--|
|  | 400498 | 8 mm endoscope sterilization tray (stainless steel) (640 mm x 390 mm x 80 mm) |

Handheld camera and accessories



| | Item code | Product description |
|---|-----------|---|
|  | 470035 | Handheld camera |
|  | 470042 | Handheld camera light guide cable (includes adapter) |
|  | 470051 | Handheld camera removable light guide adapter |
|  | 400499 | Handheld camera sterilization tray (300 mm x 240 mm x 68 mm) |

Energy accessories





Energy activation cables

| | Item code | Product description | Qty/box |
|---|-----------|--|---------|
|  | 371716 | Energy activation cable, Covidien, Force Triad | 1 |
|  | 371870 | Energy activation cable, Ethicon, Gen 11 | 1 |


Energy instrument cords

| | Item code | Product description | Qty/box |
|---|-----------|--|---------|
|  | 470383 | Monopolar energy instrument cord (13 ft. / 4 m) | 1 |
|  | 470384 | Bipolar energy instrument cord (17 ft. / 5 m) | 1 |

Da Vinci simulation

| | Item code | Product description | Qty/box |
|---|-----------|--|---------|
|  | 381129 | Blue fiber cable, simulator | 1 |
|  | 372363 | Simulator skills drills | 1 |
|  | 600092 | Da Vinci SimNow [®] service and benefits (annual) | 1 |
|  | 377773 | Da Vinci SimNow simulator | 1 |

Da Vinci Xi integrated table motion

| | Item code | Product description | Qty/box |
|---|-----------|--|---------|
|  | 600062 | Integrated table motion hardware and software upgrade ¹ | 1 |

¹ The TS 7000dV table is sold and serviced by Hillrom. To order, contact Hillrom (www.hillrom.com).

Training equipment

Training instruments

| Item code | Product description | Uses |
|-----------|---|--------------|
| 470006-T | Large needle driver | 30 |
| 470093-T | ProGrasp forceps | 30 |
| 470347-T | Tip-Up fenestrated grasper | 30 |
| 470400-T | Long bipolar grasper | 30 |
| 470172-T | Maryland bipolar forceps | 30 |
| 470179-T | Monopolar curved scissors (Hot shears) ^{1,2} | 30 |
| 470183-T | Permanent cautery hook | 30 |
| 470184-T | Permanent cautery spatula | 30 |
| 470205-T | Fenestrated bipolar forceps | 30 |
| 470405-T | Force bipolar | 30 |
| 470309-T | Mega SutureCut needle driver | 30 |
| 470230-T | Large clip applier ³ | 200 closures |
| 470318-T | Small Graptor (grasping retractor) | 30 |
| 470344-T | Curved bipolar dissector | 30 |
| 470327-T | Medium-large clip applier ⁴ | 200 closures |
| 470049-T | Cadiere forceps | 30 |
| 470296-T | Large SutureCut needle driver | 30 |
| 470194-T | Mega needle driver | 30 |
| 470401-T | Small clip applier ⁵ | 200 closures |

¹ Requires Tip Cover Accessory (PN 400180) for use. ² Requires in-service prior to first use, please contact your local Intuitive representative. ³ Compatible with Weck Hem-o-lok Large Polymer Clips. Weck product code #544240. ⁴ Compatible for use with Weck Hem-o-lok medium-large polymer clip. Weck product code #544230. ⁵ Compatible for use with Weck Horizon small-wide titanium clip. Weck product code #001201 or #001205.

Notes: (a) Training instruments are not approved for human use. (b) Training instruments can be readily identified by the red instrument housing. (c) Red instrument icons persist on the monitors when a training instrument is loaded onto the system. (d) The training instrument warranty covers only defects in manufacturing. Upon first use, the warranty expires.

Recommended spares and equipment

| Item code | Page number | Product description |
|-----------|-------------|---|
| Multiple | 11 | Endoscope with camera |
| 380989 | 9 | Blue fiber cable kit |
| Multiple | 3-7, 16 | EndoWrist instruments |
| Multiple | 10 | Instrument cannula |
| 381216 | 9 | Instrument release kit (IRK) (item provided free of charge) |
| 470397 | 9 | Gage pin (set of 3) (item provided free of charge) |
| 470629 | 14 | Universal reprocessing hardware kit includes: <ul style="list-style-type: none">· Luer fitting for flushing· Pipe-to-hose adapter· Brush with soft, nylon bristles· Tip cover insertion/removal tool for monopolar curved scissors (Qty. 5) |

5 mm Single-Site

Instruments and accessories

Single-Site® 5 mm instruments



Maryland dissector

Part number 478050

10 uses



Crocodile grasper

Part number 478059

10 uses



Medium-large clip applier

Part number 478053

80 closures

Validated for use with Weck Hem-o-lok medium-large polymer clip. Weck product code #544230



Maryland bipolar forceps

Part number 478080

Box of 6/single use



Suction irrigator

Part number 478054

20 uses



Curved needle driver

Part number 478088

10 uses



Cadiere forceps/grasper

Part number 478055

10 uses



Permanent cautery hook

Part number 478090


10 uses



Curved scissors

Part number 478057

7 uses



Fenestrated bipolar forceps

Part number 478093

Box of 6/single use



Fundus grasper

Part number 478058

10 uses















Wristed needle driver

Part number 478115

10 uses


Single-Site reusable accessories

Single-Site cannulae and obturators

| | Item code | Product description | Qty/box |
|---|-----------|---|---------|
|  | 478263 | 8 mm camera cannula | 1 |
|  | 478008 | 8 mm blunt obturator | 1 |
|  | 478013 | 5 mm blunt obturator | 1 |
|  | 478060 | 5 mm accessory cannula | 1 |
|  | 478061 | 5 x 300 mm curved cannula, camera right | 1 |
|  | 478062 | 5 x 300 mm curved cannula, camera left | 1 |
|  | 428064 | 5 x 300 mm flexible blunt obturator | 1 |
|  | 478071 | 5 x 250 mm curved cannula, camera right | 1 |
|  | 478072 | 5 x 250 mm curved cannula, camera left | 1 |
|  | 428074 | 5 x 250 mm flexible blunt obturator | 1 |
|  | 428076 | 10 mm accessory cannula | 1 |
|  | 428084 | 10 mm blunt obturator | 1 |

Single-Site disposable accessories

Single-Site seal and port

| | Item code | Product description | Qty/box |
|---|-----------|--|---------|
|  | 478161 | Da Vinci Xi Single-Site seal (instruments + camera) (box of 10) | 10 |
|  | 478065 | Single-Site port (for 8.5 mm endoscope) (box of 10) | 10 |

Common carton dimensions and weights

| Item | Item code | Outside dimensions | Average weight |
|--|-----------|--|----------------------|
| Vessel Sealer Extend | 480422 | | |
| SynchroSeal | 480440 | 28.75" x 6" x 2.875" 73 cm x 15.24 cm x 7.3 cm | 1.28 lbs 0.58 kg |
| Harmonic ACE curved shears | 480275 | | |
| Seals | 470361 | 10.375" x 3.75" x 4.3125" 26.35 cm x 9.53 cm x 10.95 cm | 0.88 lbs 0.4 kg |
| | 470380 | | 0.93 lbs 0.42 kg |
| Tip cover | 400180 | 9.4" x 3.4" x 3" 23.876 cm x 8.636 cm x 7.62 cm | 0.4 lbs 0.18 kg |
| Cannula | 470002 | 14" x 5.5" x 4" 35.56 cm x 13.97 cm x 10.16 cm | 0.8 lbs 0.36 kg |
| | 470004 | | |
| Obturators | 470008 | 14" x 5.5" x 4" 35.56 cm x 13.97 cm x 10.16 cm | 0.7 lbs 0.31 kg |
| | 470009 | | |
| Bladeless obturators | 470359 | 13" x 4.5" x 11.1875" 33.02 cm x 11.43 cm x 28.416 cm | 2.006 lbs 0.91 kg |
| | 470360 | | 2.025 lbs 0.92 kg |
| Drapes | 470015 | 21" x 19" x 10.5" 53.34 cm x 48.26 cm x 26.67 cm | 21 lbs 9.5 kg |
| | 470341 | 14" x 6.5" x 5" 35.56 cm x 16.51 cm x 12.7 cm | 3.7 lbs 1.7 kg |
| EndoWrist stapler 30 instrument | 470430 | 31" x 5.75" x 2.75" | 2.40 lbs 1.08 kg |
| EndoWrist stapler 30 curved-tip instrument | 470530 | 31" x 5.75" x 2.75" | 2.40 lbs 1.08 kg |

Common carton dimensions and weights

| Item | Item code | Outside dimensions | Average weight |
|---|-----------|--|---------------------|
| EndoWrist stapler 30 mm gray reload | 48630M-02 | | |
| EndoWrist stapler 30 mm white reload | 48630W-02 | 7.25" x 6.00" x 6.50" | 1.10 lbs |
| EndoWrist stapler 30 mm blue reload | 48630B-02 | | 0.5 kg |
| EndoWrist stapler 30 mm green reload | 48630G-02 | | |
| Energy instrument cords | 470383 | 9.625" x 6.3125" x 1.25" | 0.5 lbs |
| | | 24.45 cm x 16.03 cm x 3.175 cm | 0.23 kg |
| | 470384 | | 0.57 lbs |
| | | | 0.26 kg |
| Hasson cones | 470398 | 14" x 5.5" x 4" | 1.7 lbs |
| | | 35.56 cm x 13.97 cm x 10.16 cm | 0.77 kg |
| | 470399 | | 1.8 lbs |
| | | | 0.8 kg |
| Instruments: needle drivers, scissors, forceps, graspers, and clip appliers, etc. | Most | 27" x 3.5" x 2" 68.58 cm x 5.08 cm x 8.9 cm | 1.08 lbs 0.49 kg |

Ordering and terms*

Ordering methods

Purchase orders accepted:

| | | | |
|------------------------|------------------------------|-------------------------|-----------------------------|
| EDI (preferred) | Global Health Exchange (GHX) | E-mail | Intuitiveorders@GHXGFAX.com |
| Fax | 408.523.2377 | Customer Support | 800-876-1310 (option 3) |

Terms

Payment terms Net 30 days

Delivery Estimated two-day standard delivery for instruments and accessories*.
System upgrades delivered upon availability.
Standard shipping terms: FCA Intuitive warehouse (Incoterms 2010).
All orders are subject to inventory availability.
A \$9.95 handling charge will be applied for any shipments using a customer designated carrier.
Intuitive does not carry additional insurance for customers using their own carrier accounts. It is recommended that customers carry their own additional insurance when choosing to use their carrier account.
Tracking information for instruments, accessories, and endoscopes can be found on the My Intuitive customer portal. Additionally, you may opt in to get automated emails with order confirmation and tracking by calling 800-876-1310 (option 3) and providing your site name and email recipient.

Price policy Pricing subject to change without notice, applicable taxes, and freight charges may apply.

Return goods policy All returns are authorized through Intuitive Customer Service. Please visit the My Intuitive customer portal at my.intuitive.com or call toll-free at 800-876-1310 (option 3) to obtain a Return Material Authorization (RMA) number (RMA#). All items must be accompanied with a valid RMA# and are requested to be received within 14 days of issuance or the RMA could be subject to cancellation. Intuitive will prepay for the return of the defective instrument(s).

Defective returns

- Upon identification of a defective instrument, please report the issue to Intuitive Customer Service or through the My Intuitive customer portal within five days.
- Prior to returning to Intuitive, items must be cleaned and decontaminated in accordance with current local environmental safety laws and standards.

Excess returns

- Items are required to be in the original packaging with no markings, seals intact, and to have been purchased within the last 12 months.
- Package excess returned inventory in a separate shipping container to prevent damage to original product packaging.

Credit policy Intuitive will issue credit against original purchase order after full inspection is complete.

Credit for defective returns

- Intuitive will issue credit on products based on failure analysis performed and individual warranty terms.
- For reusable instruments, credit will be issued for the remaining lives, plus one additional life to compensate for usage at the time the issue was identified. For disposable instruments, credit will be issued for the unit price.
- Evidence of negligence, misuse and mishandling will not qualify for credit.

Credit for excess-inventory returns

- A 15% restocking fee may apply to bulk excess returns based on nonconforming return requests.
- Original instrument packaging must be unmarked, undamaged and seals intact to qualify for credit.
- For disposable items, the original shipping packaging must remain intact as originally shipped: unmarked, undamaged, and unopened and credit will be issued for the purchase price.
- Products that were shipped less than 12 months prior to return request.
- If the product is within expiration date.
- Intuitive must retain all returned product.

Ordering and terms* (continued)

| | |
|--|--|
| Warranty | <p>Warranties are applied for manufacturing defects</p> <ul style="list-style-type: none"> • Endoscope, camera, simulator, and system upgrades—one-year warranty • Accessories—90-day warranty • Instruments—see above for credit terms |
| <p>Any term or condition contained in your purchase order or similar forms which is different from, inconsistent with, or in addition to these terms shall be void and of no effect unless agreed to in writing and signed by your authorized representative and an authorized representative of Intuitive.</p> <p>*FedEx is the Intuitive-preferred courier.</p> <p>For questions please contact Intuitive Customer Service at 800-876-1310 (option 3).</p> | |
| Use of simulator | <p>Customer will ensure the proper use of the simulator consistent with the documentation, and customer will ensure the proper management and supervision of the simulator. Customer will not, nor will customer permit any third party to, modify, disassemble, reverse engineer, alter, or misuse the simulator. Prohibited actions include, but are not limited to: (1) adding or subtracting any customer or third-party equipment, hardware, firmware, or software to or from the simulator, or (2) reconfiguring any of the Intuitive equipment, hardware, firmware, or software as originally provided to customer as part of the simulator without Intuitive’s express written permission.</p> |
| Data use | <p>Customer agrees that Intuitive and its affiliates within the Intuitive group of companies (collectively, “Intuitive”) may collect data relating to the use of Intuitive products (“Data”). In some instances Data may be communicated via data gathering or transmission technology to Intuitive. In other instances, Intuitive may request customer and customer agrees to provide Data to Intuitive. Such Data may be used for a variety of purposes, including, but not limited to (1) providing support and preventative maintenance of Intuitive products, (2) improving Intuitive products or services, (3) ensuring compliance with applicable laws and regulations, and (4) providing a general resource for Intuitive’s research and business development. Intuitive does not intend to collect protected health information (PHI) as defined by the Health Insurance Portability and Accountability Act of 1996 (HIPAA) or analogous foreign patient privacy laws or regulations, as may be amended from time to time. In the event any Data communicated to Intuitive identifies an entity or individual, Intuitive will not share such Data with any third parties without the entity’s or individual’s consent, unless required by law or regulatory authorities.</p> |
| Software license and restrictions | <p>Software embedded within the simulator is provided under license and is not sold to customer. Subject to the terms and conditions of the SimNow agreement[†], Intuitive grants to customer a non-exclusive, non-transferable, fully paid, restricted use license to use the software solely as incorporated in the simulator in machine-executable object code form and solely in connection with the operation of the simulator as described in the documentation. Customer must not use, copy, modify, or transfer the software or any copy thereof, in whole or in part, except as expressly provided in the SimNow agreement. In addition, customer must not reverse engineer, decompile, disassemble, attempt to derive the source code for, or otherwise manipulate the software, except that manipulation of the software is permitted if, and then only to the extent that, the foregoing prohibition on manipulation is required to be modified by applicable law. In that case, customer must first request from Intuitive the information to be sought from the software, and Intuitive may, in its discretion, provide information to customer under good faith restrictions and impose reasonable conditions on use of the software. The structure and organization of the software are valuable trade secrets of Intuitive and customer will protect the software as Intuitive’s proprietary information. Intuitive reserves all rights to the software not expressly granted to customer.</p> |
| Networking requirements | <p>Purchased equipment may require a network connection in order to achieve full functionality. Customer acknowledges that when simulator is in use, Customer is responsible for maintaining an active network connection to Intuitive simulator infrastructure as specified in the simulator’s network requirements, for the purpose of supporting all subscriptions services such as, latest simulation updates, OS patches, anti-virus updates, data backup and user account management capabilities. Customer is responsible for the security of the simulator and the security of the internal network to which the simulator is configured. Intuitive reserves the right to change, add, or remove functionalities or features at any time.</p> |
| Information security | <p>Customer is responsible for maintaining the confidentiality of its username(s), password(s), account(s), as well as all activities that occur under that account(s) and both the physical and cyber-security of the Simulator.</p> <p>*Ordering terms and conditions are subject to revision.</p> <p>[†]Terms are for purchase of the SimNow simulator as described in the SimNow agreement.</p> <p>For questions please contact Intuitive Customer Service at 800-876-1310 (option 3).</p> |

For more information or to order, call Intuitive toll-free.

For the name of your local distributor, call Intuitive or visit intuitive.com.

Call 1-800-876-1310 (toll-free)

Some products in the catalog may not be available in all countries.

Important safety information

For important safety information, please refer to intuitive.com/safety.

For a product's intended use and/or indications for use, risks, full cautions, and warnings, please refer to the associated user manual(s).

© 2019–2023 Intuitive Surgical Operations, Inc. All rights reserved.

Product and brand names/logos are trademarks or registered trademarks of Intuitive Surgical or their respective owner.

See intuitive.com/trademarks.